



Sunrise Windows & Doors, Ltd.
200 Enterprise Drive
Temperance, MI 48182-9500
P: 734.847.8778
F: 734.847.7758
www.sunrisewindows.com

July 12, 2017

Statement of Compliance

Made in Michigan

To Whom It May Concern:


Sunrise Windows, Ltd. is a window manufacturer located in Temperance, Michigan. This letter validates that greater than 50% of the cost to manufacture and assemble all Sunrise Windows products occurs within the state of Michigan, including but not limited to all products listed in the attached exhibits. As such, Sunrise Windows' aforementioned products meet the requirements for qualification in the "Made in Michigan" program as defined by Consumers Energy Residential Energy Efficiency Group.

A handwritten signature in black ink that reads 'Carl Will'.

Carl Will, President & C.O.O.
Sunrise Windows, Ltd.


NFRC Performance Specifications

Our windows are tested and certified to National Fenestration Rating Council (NFRC) standards. Product testing data can be viewed by going to NFRC's web site, www.nfrc.org, and entering the appropriate Certified Product Directory (CPD) number.



* Argon (unless noted) - No-grids

				Double Hung	Slider	Tilt-In Slider	Standard Picture	Casement	Awning	Casement Picture	Sliding Door	
Dual Pane Glass Package Options	Air Infiltration Rate			0.02	0.11	0.09	0.04	0.01	0.03	0.01	0.02	
	Glass Package	Order Code	% UV Blocked	NFRC CPD No.	SUW-K-1-01818	SUW-K-2-01767	SUW-K-6-01751	SUW-K-7-00547	SUW-K-14-00361	SUW-K-15-00361	SUW-K-16-00356	SUW-K-5-00279
	Clear Glass (air)	2000 Glass (air)	37%	U-Factor	0.45	0.45	0.45	0.45	0.42	0.42	0.44	0.45
				SHGC	0.59	0.60	0.59	0.63	0.53	0.53	0.61	0.56
				VT	0.63	0.63	0.62	0.66	0.57	0.57	0.65	0.59
				CR	44	44	44	45	45	45	46	46
	Passive U	P2100a	69%	NFRC CPD No.	SUW-K-1-01821	SUW-K-2-01770	SUW-K-6-01754	SUW-K-7-00550	SUW-K-14-00364	SUW-K-15-00364	SUW-K-16-00359	SUW-K-5-00477
				U-Factor	0.29	0.29	0.29	0.28	0.27	0.28	0.28	0.31
				SHGC	0.49	0.49	0.49	0.52	0.45	0.45	0.52	0.47
				VT	0.60	0.60	0.60	0.63	0.55	0.55	0.63	0.57
CR				55	58	58	60	60	56	57	60	
Passive U²	P2210a	71%	NFRC CPD No.	SUW-K-1-01822	SUW-K-2-01771	SUW-K-6-01755	SUW-K-7-00551	SUW-K-14-00365	SUW-K-15-00365	SUW-K-16-00360	SUW-K-5-00460	
			U-Factor	0.24	0.25	0.25	0.23	0.23	0.24	0.23	0.26	
			SHGC	0.48	0.48	0.47	0.50	0.44	0.44	0.51	0.45	
			VT	0.59	0.59	0.58	0.62	0.54	0.54	0.62	0.55	
			CR	46	46	46	47	47	44	44	48	
Ultra-U Plus	N2100a	85%	NFRC CPD No.	SUW-K-1-01992	SUW-K-2-01774	SUW-K-6-01758	SUW-K-7-00554	SUW-K-14-00368	SUW-K-15-00368	SUW-K-16-00363	SUW-K-5-00461	
			U-Factor	0.28	0.28	0.28	0.27	0.27	0.27	0.27	0.30	
			SHGC	0.28	0.28	0.28	0.30	0.26	0.26	0.30	0.27	
			VT	0.53	0.53	0.53	0.56	0.49	0.49	0.56	0.50	
			CR	57	58	59	61	61	57	57	61	
Ultra-U Plus²	N2210a	85%	NFRC CPD No.	SUW-K-1-01826	SUW-K-2-01775	SUW-K-6-01759	SUW-K-7-00555	SUW-K-14-00369	SUW-K-15-00369	SUW-K-16-00364	SUW-K-5-00462	
			U-Factor	0.24	0.24	0.24	0.23	0.23	0.23	0.22	0.25	
			SHGC	0.28	0.28	0.27	0.29	0.26	0.26	0.29	0.26	
			VT	0.52	0.53	0.52	0.55	0.48	0.48	0.55	0.49	
			CR	47	47	47	48	48	45	44	49	
Omega 12	S2100a	95%	NFRC CPD No.	SUW-K-1-01991	SUW-K-2-01933	SUW-K-6-01762	SUW-K-7-00558	SUW-K-14-00372	SUW-K-15-00372	SUW-K-16-00367	SUW-K-5-00463	
			U-Factor	0.27	0.28	0.28	0.27	0.26	0.26	0.26	0.29	
			SHGC	0.21	0.21	0.21	0.22	0.19	0.19	0.22	0.20	
			VT	0.49	0.47	0.49	0.52	0.45	0.45	0.52	0.46	
			CR	57	60	59	62	61	57	57	61	
Omega 12²	S2210a	95%	NFRC CPD No.	SUW-K-1-01830	SUW-K-2-01779	SUW-K-6-01763	SUW-K-7-00559	SUW-K-14-00373	SUW-K-15-00373	SUW-K-16-00368	SUW-K-5-00464	
			U-Factor	0.24	0.24	0.24	0.22	0.22	0.23	0.22	0.25	
			SHGC	0.21	0.21	0.20	0.22	0.19	0.19	0.22	0.19	
			VT	0.48	0.48	0.48	0.50	0.44	0.44	0.51	0.45	
			CR	47	47	47	49	48	45	44	49	



Our windows are tested and certified to National Fenestration Rating Council (NFRC) standards. Product testing data can be viewed by going to NFRC's web site, www.nfrc.org, and entering the appropriate Certified Product Directory (CPD) number.

* Argon (unless noted) - No-grids

					Double Hung	Slider	Tilt-In Slider	Standard Picture	Casement	Awning	Casement Picture	Sliding Door		
Air Infiltration Rate					0.02	0.11	0.09	0.04	0.01	0.03	0.01	0.02		
Triple Pane (7/8" IGU) Glass Packages	Glass Package	Order Code	% UV Blocked	NFRC CPD No.	SUW-K-1-01895	SUW-K-2-01844	SUW-K-6-01828	SUW-K-7-00624	SUW-K-14-00438	SUW-K-15-00438	SUW-K-16-00443	SUW-K-5-00356		
				U-Factor	0.22	0.22	0.22	0.21	0.21	0.21	0.20	0.23		
	AR90	N3200a	96%	SHGC	0.22	0.22	0.22	0.23	0.20	0.2	0.23	0.21		
				VT	0.42	0.42	0.42	0.44	0.38	0.38	0.44	0.39		
				CR	66	65	66	67	68	68	69	64		
				NFRC CPD No.	SUW-K-1-01901	SUW-K-2-01850	SUW-K-6-01834	SUW-K-7-00630	SUW-K-14-00444	SUW-K-15-00444	SUW-K-16-00439	SUW-K-5-00362		
	AR90²	N3310a	96%	U-Factor	0.20	0.20	0.20	0.19	0.19	0.19	0.18	0.21		
				SHGC	0.22	0.22	0.21	0.23	0.20	0.20	0.23	0.20		
				VT	0.41	0.41	0.41	0.43	0.38	0.38	0.43	0.38		
				CR	54	54	54	55	55	56	56	55		
	KR90	N3200k	96%	NFRC CPD No.	SUW-K-1-01897	SUW-K-2-01846	SUW-K-6-01830	SUW-K-7-00626	SUW-K-14-00440	SUW-K-15-00440	SUW-K-16-00435	SUW-K-5-00358		
				U-Factor	0.18	0.18	0.18	0.16	0.17	0.17	0.16	0.19		
				SHGC	0.22	0.22	0.22	0.23	0.20	0.20	0.23	0.21		
				VT	0.42	0.42	0.42	0.44	0.38	0.38	0.44	0.39		
	KR90²	N3310k	96%	CR	70	69	70	67	73	73	71	65		
				NFRC CPD No.	SUW-K-1-01930	SUW-K-2-01852	SUW-K-6-01836	SUW-K-7-00632	SUW-K-14-00446	SUW-K-15-00446	SUW-K-16-00441	SUW-K-5-00364		
				U-Factor	0.16	0.17	0.17	0.15	0.16	0.16	0.15	0.18		
				SHGC	0.22	0.22	0.21	0.23	0.20	0.20	0.23	0.20		
				VT	0.41	0.41	0.41	0.43	0.38	0.38	0.43	0.38		
				CR	59	59	59	61	61	61	62	60		
Performance Sash Option														
Triple Pane (1 3/8" IGU) Glass				AR90	N3203a	96%	NFRC CPD No.	n/a	n/a	n/a	n/a	SUW-K-14-00525	SUW-K-15-00525	SUW-K-16-00520
	U-Factor	n/a	n/a				n/a	n/a	0.16	0.17	0.16			
	SHGC	n/a	n/a				n/a	n/a	0.20	0.20	0.23			
	VT	n/a	n/a				n/a	n/a	0.38	0.38	0.44			
	CR	n/a	n/a				n/a	n/a	75	73	73			
	AR90²	N3313a	96%	NFRC CPD No.	n/a	n/a	n/a	n/a	SUW-K-14-00527	SUW-K-15-00527	SUW-K-16-00522	n/a		
				U-Factor	n/a	n/a	n/a	n/a	0.15	0.15	0.14			
				SHGC	n/a	n/a	n/a	n/a	0.20	0.20	0.23			
				VT	n/a	n/a	n/a	n/a	0.37	0.37	0.43			
				CR	n/a	n/a	n/a	n/a	62	61	62			